

## AP700021.AP700022.AP700023.AP700024.AP700025.AP700026

### RJ45-Plug Boot

	<p>For more information please call 1-800-Belden1</p> <p><u>See Put-ups and Colors</u></p>
--	--

**Description:**

RJ45-Connector Boot for category cable assemblies

**Material:**

Material	PVC – Polyvinyl Chloride,
Color	

**Applicable:**

Item	Suitable patch cable OD	Compatible Belden RJ45 plugs
AP700021	6.4mm	AP700007
AP700022	6.4mm	AP700008
AP700023	5.5-5.8mm	AP700003
AP700024	6.5mm	AP700004
AP700025	8.0mm	AP700009
AP700026	7.0mm	AP700010

**DIMENSIONS:**





AP700025 RJ45-PLUG BOOT FOR CAT6 STP(8.0mm)  
AP700026 RJ45-PLUG BOOT FOR CAT6 STP(7.0mm)

Dimensions:mm

ITEM CODE	O.D.
SR75XX	6.5
SR75XX	7.0
SR75XX	7.5
SR82XX	8.0

AP700021.AP700022.AP700023.AP700024.AP700025.AP700026

RJ45-Plug Boot



**ENVIRONMENTAL CHARACTERISTICS:**

Temperature Range

- 10°C to + 60°C

**PUT-UPS AND COLORS:**

Item	Description	Put-ups* (pieces)	Color*
AP700021	RJ45-PLUG BOOT FOR CAT5E UTP	50	Colorless
AP700022	RJ45-PLUG BOOT FOR CAT6 UTP	50	Colorless

## AP700021.AP700022.AP700023.AP700024.AP700025.AP700026

### RJ45-Plug Boot

AP700023	RJ45-PLUG BOOT FOR CAT5E STP	50	Colorless
AP700024	RJ45-PLUG BOOT FOR CAT6 STP	50	Colorless
AP700025	RJ45-PLUG BOOT FOR BIGGER SIZE CAT6 STP	50	Grey
AP700026	RJ45-PLUG BOOT FOR CAT6 STP	50	Grey

\* Individually packaged in a clear plastics bag.

\*Other color is available per customer requested.

Revision Number: 3

Revision Date: 27/11/2017

©Copyright 2017 Belden, Inc  
All Rights Reserved.

Although Belden ("Belden") makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with the following environmental regulations: California Proposition 65 Consent Judgment For Wire & amp; Cable Mfgs.(San Francisco Superior Court Nos. 312962 And 320342); EU RoHS (Directive 2002/95/EC, 27-Jan2003); Material manufactured prior to the compliance date may still be in stock at Belden facilities and in our Distributor's inventory. EU ELV (Directive 2000/53/EC, 18-Sept-2000); EU WEEE (Directive 2002/96/EC, 27-Jan-2003); And EU BFR (Directive 2003/11/EC, 6-Feb2003). The information provided in this Product Disclosure, and the identification of materials listed as reportable or restricted within the Product Disclosure, is correct to the best of Belden's knowledge, information and belief at the date of its publication. The information provided in the Product Disclosure is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. This Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.