

## **AP100008**

# DELUXE HAND MODULAR PLUG CRIMPING TOOL



For more information please call 1-800-Belden1

See Put-ups and Colors






#### **Description:**


Deluxe Hand Modular Plug Crimping Tool, suit Belden RJ45 & RJ11 plug

## PHYSICAL CHARACTERISTICS:

Matched Plug	RJ45 & RJ11
Body Metal Material	Carbon tool steel with Black
Hand Shank Protection Material	Polypropylene material in Black color
Operating Temperature	- 40°C To + 70°C
Operating Humidity	Up to 90%, non-condensing

#### Dimensions as following / (mm):







## AP100008

## DELUXE HAND MODULAR PLUG CRIMPING TOOL

#### **Recommended Instruction as following:**



#### AP100008



Hold stripper with cutting blade toward you. Squeeze the handles to cut the cable.







#### AP100008



Hold stripper with cutting blade toward you. Squeeze the handles to cut the cable.



Insert wire to backstop for typical RJ-45, approximately .50" long stop. Squeeze handles to strip. Relax handles slightly and pull off stripped insulation.



Insert wire to tab for typical RJ-11 (USOC residential telephone) approximately \_25" the cable into the plug until fully seated. short stop. Squeeze handles to strip.
Relax handles slightly and pull off stripped insulation.






Insert wire to tab for typical RJ-11 (USOC residential telephone) approximately .25" short stop. Squeeze handles to strip.

Reliax handles slightly and pull off stripped insulation.







Blade Replacement: part replacement can be ordered under part number CPRJ11-45RBS



Blade Replacement: part replacement can be ordered under part number CPRJ11-45RBS



13582-01



13582-01

# Detailed Specifications & Technical Data



#### AP100008

## DELUXE HAND MODULAR PLUG CRIMPING TOOL

#### **ITEMS AND PUT-UPS:**

Item*	Description	Matched Connector	Put ups*
AP100008	DELUXE HAND MODULAR PLUG CRIMPING TOOL	BELDEN RJ45 & RJ11 plug	1pcs

<sup>\*</sup>Each piece of tool shall be supplied in a white box

Revision Number: 1 Revision Date: 6/12/2016

©Copyright 2016 Belden, Inc All Rights Reserved.

Although Belden ("Belden") makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with the following environmental regulations: California Proposition 65 Consent Judgment For Wire & amp; Cable Mfgs. (San Francisco Superior Court Nos. 312962 And 320342); EU RoHS (Directive 2002/95/EC, 27-Jan2003); Material manufactured prior to the compliance date may still be in stock at Belden facilities and in our Distributor's inventory. EU ELV (Directive 2000/53/EC, 18-Sept-2000); EU WEEE (Directive 2002/96/EC, 27-Jan-2003); And EU BFR (Directive 2003/11/EC, 6-Feb2003). The information provided in this Product Disclosure, and the identification of materials listed as reportable or restricted within the Product Disclosure, is correct to the best of Belden's knowledge, information and belief at the date of its publication. The information provided in the Product Disclosure is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. This Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.